

## Test Report

No. SDFS2006003109FF

Date: Jun.09, 2020

Page 1 of 4

AID PTE. LTD.  
65 UBI ROAD 1, #04-36, SINGAPORE 408729

Sample Description : CELLYX™ FOAM  
Model No : YS-AK08A  
Other Information : MODEL NO:AM-BD12/YS-AK03A/BS-ST1917F-R/YS-AK20A/  
BS-ST1917F-N/ M61032/BS-ST1917F-B/YS-AL03A/EM-60005/  
YS-AL18A/M61024

The above data and information was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion. results apply to the sample as received.

\*\*\*\*\*

SGS Ref No. : XM20850398EC  
Sample Receiving Date : Jun.01, 2020  
Test Performing Date : Jun.01, 2020 to Jun.09, 2020

### Test Result Summary

| No.  | Test(s) Requested  | Result(s) | Comments |
|--|--|-----------|----------|
| 1  | Schedule 1 Part I of Furniture and Furnishings (Fire) (Safety) Regulations 1988 With Amendments In 1989, 1993 and 2010 of United Kingdom | PASS      | /        |
| For further details, please refer to the following page(s) |  |           |          |

Signed for and on behalf of  
Shunde Branch  
SGS-CSTC Co., Ltd.




Daniel Guan  
Approved signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1/F, 1 Building European Industrial Park, No.1 Shunde South Road, Wusha Section, Daikang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 sgs.china@sgs.com

# Test Report

No. SDFS2006003109FF

Date: Jun.09, 2020

Page 2 of 4

## Test Conducted:

The Test, Specified in Schedule 1 Part I of the Furniture and Furnishings (Fire) (Safety) Regulations, is based on BS 5852: Part 2: 1982.

To assess the ignitability of polyurethane foam in slab used in upholstered components when subjected to ignition **source 5**.

## General Information:

|                                 |           |                              |                                      |
|---------------------------------|-----------|------------------------------|--------------------------------------|
| Materials                       | Foam      | Density                      | Approximately 32.7 kg/m <sup>3</sup> |
| Specified Thickness of Specimen | (75±2) mm | Actual Thickness of Specimen | 76 mm                                |

|  |   |         |      |
|--|---|---------|------|
| Precondition   | Indoor Ambient Condition  |         | 72 h |
| Conditioning of Test Specimen and Ignition Source(s) | Temperature: (23±2) °C; Relative Humidity: (50±5) % Duration: 24 h; |         |      |
| Testing Enclosure (fume cupboard / room)             | 26.6 °C   | RH 68 % | ---  |

## Test Results:

The following test results relate only to the ignitability of the combination of materials under the particular condition of test. They are not intended as a means of assessing the full potential fire hazard of the materials or products in use.

| Test Criteria   | Results              |                      |
|---|----------------------|----------------------|
|   | 1 <sup>st</sup> test | 2 <sup>nd</sup> test |
| <b>(A) Progressive smouldering</b> (Clause 4.1 of BS 5852: Part 2: 1982)  |                      |                      |
| 4.1 b) Any composite that product externally detectable amounts of smoke, heat or glow 60 min after ignition of the crib.   | NO                   | NO                   |
| 4.1 c) Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and requires forcible extinction.  | NO                   | NO                   |
| 4.1 d) Any composite that smoulders until it is essentially consumed within the test duration relevant to the source  | NO                   | NO                   |
| 4.1 e) Any composite that smoulders to the extremities of the specimen viz upper or lower margins, either side or to its full thickness, within the duration of the test.   | NO                   | NO                   |
| 4.1 f) Any composite that, on the final examination, shows evidence of charring other than discolouration, more than 100 mm in any direction apart from upwards from the nearest part of the original position of the source. | NO                   | NO                   |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1F, 1<sup>st</sup> Building, European Industrial Park, No. 1 Shunhe South Road, Wusha Section, Dailing Town, Shunde, Foshan, Guangdong, China 528333 t (86-757) 22805888 f (86-757) 22805858 www.sgs.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757) 22805888 f (86-757) 22805858 sgs.china@sgs.com

| Test Criteria   | Results              |                      |
|---|----------------------|----------------------|
|   | 1 <sup>st</sup> test | 2 <sup>nd</sup> test |
| <b>(B) Flaming</b> (Clause 4.2 of BS 5852: Part 2 :1982)  |                      |                      |
| 4.2 b) Any composite that continues to flame for more than 10 minutes after the ignition of the crib.   | NO                   | NO                   |
| 4.2 d) Any composite that displays escalating combustion behaviour so that it is unsafe to continue the test and forcible extinction is required.   | NO                   | NO                   |
| 4.2 e) Any composite that burns until it is essentially consumed within the test duration relevant to the source.   | NO                   | NO                   |
| 4.2 f) Any composite on which any flame front reaches the lower margin, either side or passes through the full thickness of the specimen within the duration of the test.   | YES                  | YES                  |
| <b>(C) Mass Loss</b> (Clause 5 in Schedule 1 Part1 of UK Regulations)   |                      |                      |
| If failure against the criteria of clause 4 of BS 5852:Part 2 has occurred but only by way of damage exceeding the limits defined in clause 4.1(e), 4.1(f) and 4.2(f) and provided that the resultant mass loss is less than 60g the foam passes the ignitability test. | 35 g                 | 31 g                 |

**Test Details:**

The cover materials for this test were 100 percent flame retardant polyester fibres specified in Schedule 1, Part I of the Regulations.

| Test No.                                     |                            | 1 <sup>st</sup> | 2 <sup>nd</sup> |
|--|----------------------------|-----------------|-----------------|
| Duration of                                  | Ignition source (min, sec) | 02min44s        | 02min41s        |
|  | Flames (min, sec)          | 04min24s        | 04min06s        |
|  | Smoke (min, sec)           | 06min45s        | 06min27s        |
| Extent of damage of horizontal component     | Foam - Width (mm)          | 106             | 104             |
|  | Foam - Length (mm)         | 182             | 182             |
|  | Foam - Depth (mm)          | Full thickness  | Full thickness  |
| Extent of damage of vertical component       | Foam - Length (mm)         | 149             | 145             |
|  | Foam - Depth (mm)          | 43              | 41              |
| The initial mass of the sample composite (g) |                            | 7465            | 7409            |
| The final mass of sample composite(g)        |                            | 7430            | 7378            |
| The final mass loss of the composite(g)      |                            | 35              | 31              |
| Rating, comments & observations              |                            | #1              | #1              |

**Conclusion: PASS**


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

1/F, 1<sup>st</sup> Building, European Industrial Park, No.1 Shunhe South Road, Wusha Section, Dailing Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 sgs.china@sgs.com

## Test Report

No. SDFS2006003109FF


Date: Jun.09, 2020

Page 4 of 4

Remark: N/A--Not Applicable; N/C--Not Conduct;

- #1—Pass, flaming but self-extinguishment, the resultant mass loss is less than 60g;
- #2—Fail, flaming but self-extinguishment, the resultant mass loss is more than 60g;
- #3—Fail, extinguished by operator, escalating flaming combustion;
- #4—The first test failed, so retest was not conducted;

### Photo Appendix:



**Remark:** The applicant states products entitled as following Model No. YS-AK08A, AM-BD12, YS-AK03A, BS-ST1917F-R, YS-AK20A, BS-ST1917F-N, M61032, BS-ST1917F-B, YS-AL03A, EM-60005, YS-AL18A, M61024 are identical, but only Model No. YS-AK08A is tested in SGS.

\*\*\*End of Report\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

1/F, 1<sup>st</sup> Building, European Industrial Park, No. 1 Shunhe South Road, Wusha Section, Daikang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757) 22805888 f (86-757) 22805858 www.sgs.com.cn  
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757) 22805888 f (86-757) 22805858 sgs.china@sgs.com